Epidemiology & Infection

VOLUME 127, 2001

SENIOR EDITOR
Professor B. Drasar

EDITORS
Dr M. Bennett
Professor K. A. V. Cartwright
Dr C. Fairley
Professor K. Morgan
Dr C. W. Hedberg
Dr T. L. Pitt
Dr D. J. Platt
Dr R. L. Salmon
Dr H. Watanabe
Dr T. Wreghitt

MANAGING EDITOR
Professor P. Morgan-Capner

EDITORIAL BOARD
R. M. Anderson
N. Chanter
C. P. Farrington
N. P. French
D. J. Hampson
S. A. Howell
T. J. Humphrey
A. P. Kendal
J. B. Kurtz
D. H. Lloyd
T. J. Marrie
E. Miller
P. P. Mortimer
S. Rankin
S. Rubino
M. D. Smith
E. J. Threlfall
M. J. Woodward

CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York 10011-4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain

© Cambridge University Press 2001

Printed in the United Kingdom by the Cambridge University Press, Cambridge

CONTENTS

No. 1 (AUGUST 2001)

Specific identification, grouping and differentiation of *Campylobacter jejuni* among thermophyllic campylobacters using multiplex PCR
Korolik, V., Friendship, D. T., Peduru-Hewa, T., Alfredson, D. A., Fry, B. N. and Coloe, P. J. 1
Molecular epidemiologic analysis of *Vibrio cholarae* O1 isolated during the 1997–8 cholera epidemic in southern Tailand
Kondo, S., Kongmuang, U., Kalnauwakul, S. Matsumoto, C., Chen, C. H. and Nishibuchi, M. 7
Molecular identification of pathogenicity genes and ERIC types in *Vibrio cholarae* O1 epidemic strains from Mozambique
Folgosa, E., Mastrandrea, S., Cappuccinelli, P., Uzzau, S., Rapelli, P., Brian, M. J. and Colombo, M. M.. 17
Phylogenetic diversity and similarity of active sites of Shiga toxin (Stx) in Shiga toxin-producing *Escherichia coli* (STEC) isolates from humans and animals
Asakura, H. Makino, S. I., Kobori, H., Watarai, M., Shirahata, T., Ikeda, T. and Takeshi, K. 27
Correspondence of genotypes of sporadic *Yersinia enterocolitica* bioserotype 4/O:3 strains from human and porcine sources
Fredriksson-Ahomaa, M., Hallanvuo, S., Korte, T., Siitonen, A. and Korkeala, H. 37
Prevalence of carriage of antimicrobial resistant strains of *Streptococcus pneumoniae* in primary school children in Hong Kong
Boost, M. V., O'Donoghue, M. M. and Dooley, J. S. 49
Isolation and molecular characterization of methicillin-resistant coagulase-negative staphylococci from nasal flora of healthy humans at three community institutions in Rio de Janeiro City
Silva, F. R., Mattos, E. M., Coimbra, M. V. S., Ferreira-Carvalho, B. T. and Figueiredo, A. M. S. 57
Pertussis in Germany: regional differences in management and vaccination status of hospitalized cases
Juretzko, P., Fabian-Marx, T., Haastert, B., Giani, G., von Kries, R. and Wirsing von König, C. H. 63
A model based evaluation of the 1996–7 pertussis epidemic in the Netherlands
van Boven, M., de Melker, H. E., Schellekens, J. F. P. and Kretzschmar, M. 73
Results of follow-up of human contacts of bovine tuberculosis in cattle during 1993–7 in North Staffordshire
Smith, G. E., Cawthorne, D., Jarvis, R., Synnott, M. B., Cooper, R., Hampton, C. and Allen, M. 87
The relationships between HIV test interval, demographic factors and HIV disease progression
CASCADE European Collaborative Project 91
Poliovirus surveillance by examining sewage specimens. Quantitative recovery of virus after introduction into sewerage at remote upstream location
Hovi, Y., Stenvik, M., Partanen, H. and Kangas, A. 101
Epidemiological and laboratory investigations of outbreaks of diarrhoea in rural South India: implications for control of disease
Kang, G., Ramakrishna B. S., Daniel, J., Mathan, M. and Mathan, V. I. 107
Ecological comparison of the risks of mother-to-child transmission and clinical manifestations of congenital toxoplasmosis according to prenatal treatment protocol
Gilbert, R., Dunn, D., Wallon, M., Hayde, M., Prusa, A., Lebech, M., Kortbeek, T., Peyron, F., Pollak, A. and Petersen, E. 113
Low incidence of toxoplasma infection during pregnancy and newborns in Sweden
Evengård, B., Petersson, K., Engman, M. L., Wiklund, S., Ivarsson, S. A., Tear-Fahnehjelm, K., Forsgren, M., Gilbert, R. and Malm, G. 121
Shiga toxin genes (*stx*) in Norwegian sheep herds
Urdahl, A. M., Alvseike, O., Skjerve, E. and Wasteson, Y. 129
Persistent infection is a rare sequel following infection of pigs with swine vesicular disease virus
Lin, F., Mackay, D. K. J., Knowles, N. J. and Kitching, R. P. 135
An examination of risk factors associated with beef cattle shedding pathogens of potential zoonotic concern
Hoar, B. R., Atwill, E. R., Elmi, C. and Farver, T. B. 147

Persistence patterns of scrapie in a sheep flock
Hagenaars, T. J., Ferguson, N. M., Donnelly, C. A. and Anderson, R. M. 157
Seventy percent of the *Mycobacterium tuberculosis* isolates in Hong Kong represent the Beijing genotype
Chan, M. Y., Borgdorff, M. Yip, C. W., de Haas, P. E. W., Wong, W. S., Kam, K. M. and van Soolingen, D. 169
Wild birds as a possible natural resovoir of Borna disease virus
Berg, M., Johansson, M., Montell, H. and Berg, A. L. 173

No. 2 (October 2001)

Review article. **Streptococcal contamination of food; an unusual cause of epidemic pharyngitis**
Katzenell, U., Shemer, J. and Bar-Dayan, Y. 179
The study of infectious intestinal disease in England: risk factors for cases of infectious intestinal disease with *Campylobacter jejuni* infection
Rodrigues, L. C., Cowden, J. M., Wheeler, J. G., Sethi, D., Wall, P. G., Cumberland, P., Tompkins, D. S., Hudson, M. J., Roberts, J. A. and Roderick, P. J. 185
A quantitative risk assessment for the occurrence of campylobacter in chickens at the point of slaughter
Hartnett, E., Kelly, L., Newell, D., Wooldridge, M. and Gettinby, G. 195
Secular trends in incidence and antimicrobial resistance among clinical isolates of salmonella at a university hospital in Taiwan, 1983–1999
Su, L. H., Chiu, C. H., Kuo, A. J., Chia, J. H., Sun, C. F., Leu, H. S. and Wu, T. L. 207
Risk factors for sporadic cases of *Escherichia coli* O157 infection: the importance of contact with animal excreta
Locking, M. E., O'Brien, S. J., Reilly, W. J., Wright, E. M., Campbell, D. M., Coia, J. E., Browning, L. M. and Ramsay, C. N. 215
An outbreak of diarrhoea due to multiple antimicrobial-resistant Shiga toxin-producing *Escherichia coli* O26:H11 in a nursery
Hiruta, N., Murase, T. and Okamura, N. 221
Prospective study of the incidence of diarrhoea and prevalence of bacterial pathogens in a cohort of Vietnamese children along the Red River
Isenbarger, D. W., Hien, B. T., Ha, H. T., Ha, T. T., Bodhidatta, L., Pang, L. W. and Cam, P. D. 229
Microbiologic effectiveness of hand washing with soap in an urban squatter settlement, Karachi, Pakistan
Luby, S. P., Agboatwalla, M., Raza, A., Sobel, J., Mintz, E. D., Baier, K., Hoekstra, R. M., Rahbar, M. H., Hassan, R., Qureshi, S. M. and Gangarosa, E. J. 237
Association between asymptomatic carriage and sporadic (endemic) meningococcal disease in an open community
Verdú, M. E., Coll, P., Vázquez, J. A., March, F., Fontanals, D., Berrón, S., Pons, I., Van Esso, D. and Prats, G. 245
Risk-factors for meningococcal disease in Victoria, Australia, in 1997
Robinson, P., Taylor, K. and Nolan, T. 261
PCR and the investigations of meningococcal infection
Wood, A. L. and Gill, M. J. 269
The impact of diagnosis by legionella unrinary antigen test on the epidemiology and outcomes of Legionnaires' disease
Formica, N., Yates, M., Beers, M., Carnie, J., Hogg, G., Ryan, N. and Tallis, G. 275
Estimation of measles reproduction ratios and prospects for elimination of measles by vaccination in some Western European countries
Wallinga, J., Lévy-Bruhl, D., Gay, N. J. and Wachmann, C. H. 281
Impact of the Australian Measles Control Campaign on immunity to measles and rubella
Gilbert, G. L., Escott, R. G., Gidding, H. F., Turnbull, F. M., Heath, T. C., McIntyre, P. B. and Burgess, M. A. 297
Epidemiological of varicella zosta virus infection in Canada and the United Kingdom
Brisson, M., Edmunds, W. J., Law, B., Gay, N. J., Walld, R., Brownell, M., Roos, L. and de Serres, G. 305
Multiple sclerosis and varicella zoster virus infection: A review
Marrie, R. A. and Wolfson, C. 315

The epidemiology of hepatitis A in Rio di Janeiro: environmental and domestic risk factors
Almeida, L. M., Werneck, G. L., Cairncross, S., Coeli, C. M., Costa, M. C. E. and Coletty, P. E. 327
The epidemiology of hepatitis A infection in Palestine: a universal vaccination programme is not yet needed
Yassin, K., Awad, R., Tebi, A., Queder, A. and Laaser, U. 335
Antibodies to hepatitis A virus in Italian patients with chronic liver disease
Sagnelli, E., Rossi, G., Coppola, N., Scolastico, C., Onofrio, M. Fillipini, P., Chiaramonte, M., Pizzigallo, E., Aceti, A., Spadaro, A., Raimondo, G. and Piccinino, F. 341
Cost analysis of two strategies for preventing hepatitis A virus infection in Spanish travellers to developing countries
Bayas, J. M., González, A., Vilella, A., San-Martin, M., Bertran, M. J. and Adell, C. 347
Presence of granulocytic ehrlichia in ticks and serological evidence of human infection in La Rioja, Spain
Oteo, J. A., Gil, H., Barral, M., Pérez, A., Jiminez, S., Blanco, J. R., Martinez de Artola, V., García-Peréz, A. and Juste, R. A. 353
Trichinellosis acquired in the United Kingdom
Milne, L. M., Bhagani, S., Bannister, B. A., Laitner, S. M., Moore, P., Eza, D. and Chiodini, P. L. 359
Culturally verified *Mycoplasma pneumoniae* pneumonia in Japan: a long term observation from 1979–99
Ito, I., Ishida, T., Osawa, M., Arita, M., Hashimoto, T., Hongo, T. and Mishima, M. 365
Carriage of intestinal spirochaetes by human: epidemiological data from Western Australia
Brooke, C. J., Clair, A. N., Mikosza, A. S. J., Riley, T. V. and Hampson, D. J. 369
Frequency of failure to isolate *Shigella* spp., by the direct plating technique and improvement of the isolation by enrichment in selenite broth
Miyagi, K., Takegaki, Y., Nakano, T., Nakano, Y., Honda, T. and Sano, K. 375

No. 3 (December 2001)

Epidemiologic profiling: evaluating foodborne outbreaks for which no pathogenwas isolated by routine laboratory testing: United States, 1982–9
Hall, J. A., Goulding, J. S., Bean, N. H., Tauxe, R. V. and Hedberg, C. W. 381
A comparison of gastroenteritis in a general practice-based study and a community-based study
de Witt, M. A. S., Kortbeek, L. M., Koopermans, M. P. G., de Jager, C. J., Wannet, W. J. B., Bartelds, A. I. M. and van Duynhoven, Y. T. H. P. 389
Risk factors for compylobacter infection in infants and young children: a matched case-control study
Tenkate, T. D. and Stafford, R. J. 399
Resaturant-associated outbreak of *Salmonella* Typhi in Nauru: an epidemiological and cost analysis
Olsen, S. J., Kafoa, B., Win, N. S. S., Jose, M., Bibb, W., Luby, S., Waidubu, G., O'Leary, M. and Mintz, E. 405
Monitoring patients in the community with suspected *Escherichia coli* O157 infection during a large outbreak in Scotland in 1996
Wood, R., Donaghy, M. and Dundas, S. 413
Epidemiology of meningococcal meningitis in Angola, 1994–2000
Gaspar, M., Leite, F., Brumana, L., Felix, B. and Stella, A. A. 421
Prevalence of *Neisseria meningititis* carriers in the school population of Catalonia, Spain
Domínguez, A., Cardeñosa, N., Izquierdo, C., Sánchez, F., Margall, N., Vázquez, J. A., Salleras, L. and the Working Group om Meningococcal Disease in Catalonia 435
Day-care and meningococcal disease in young children
Grien, T. and O'Flanagan, D. O. 435
Epidemiology of hospital-acquired infections in cirrhotic patients: effect of carriage of methicillin-resistant *Staphylococcus aureus* and influence of previous antibiotic therapy and norfloxacin prophylaxis
Campillo, B., Dupeyron, C. and Richardet, J. P. 443
Immunogenicity and reactogenicity of the adult tetanus–diphtheria vaccine. How many doses are necessary?
Bayas, J. M., Vilella, A., Bertran, M. J., Vidal, J., Batalla, J., Asenjo, M. A. and Salleras, L. L. 451
Immunization strategies to control a community-wide hepatitis A epidemic
Thornburn, K. M., Bohorques, R. Stepak, P., Smith, L. L., Jobb, C. and Palmer Smith, J. 461
An outbreak of hepatitis A amongst injecting drug users
O'Donovan, D., Cooke, R. P. D., Joce, R., Eastbury, A., Waite, J. and Johansen, K. 469

Association between heroin use, needle sharing and tattoos received in prison with hepatitis B and C positivity among street-recruited injecting drug users in New Mexico, USA
Samuel, M. C., Doherty, P. M., Bulterys, M. and Jenison, S. A. 475
Hepatitis C virus infection among teenagers in an endemic township in Taiwan: epidemiological and clinical follow-up studies
Huang, J. F., Lu, S. N., Chue, P. Y., Lee, C. M., Yu, M. L., Chuang, W. L., Wang, J. J., Dai, C. Y., Chen, I. L., Shih, C. H. and Chang, W. Y. 485
Varicella transmission in two samples of children with different social behaviour in the State of São Paulo, Brazil
Yu, A. L. F., Amaku, M., Burattini, M. N., Massad, E. and Azevedo, R. S. 493
Estimated varicella incidence on the basis of a seroprevalence survey
Muñoz, M. P., Domínguez, A. and Salleras, L. 501
The aetiology of maculopapular rash diseases in Niterói, State of Rio de Janeiro, Brazil: implications for measles surveillance
Oliveira, S. A., Siqueira, M. M., Camacho, L. A. B., Noduieira, R. M., Spinetti, C. C. J., Cubel Garcia, R. C. N., Knowles, W. and Brown, D. W. G. 509
A controlled estimate of the risk of HIV infection in Ethiopian children with tuberculosis
Berggren Palme, I. Gudetta, B., Degefu, H. H., Muhe, L., Bruchfeld, J. and Giesecke, J. 517
HIV disease among immigrants coming to Italy from outside of the European Union: a case-control study of epidemiological and clinical features
Manfredi, R., Calza, L. and Chiodo, F. 527
Race/ethnicity and other risk factors associated with cryptosporidiosis as an initial AIDS-defining condition in California, 1980–99
Khalakdina, A., Tabnak, F., Sun, R. K. P. and Colford, J. M. 535
PCR-IMS detection and molecular typing of *Cryptosporidium parvum* recovered from a recreational river source and an associated mussel (*Mytilus eduis*) bed in Northern Ireland
Lowery, C. J., Nugent, P., Moore, J. E., Millar, B. C., Xiru, X. and Dooley, J. S. G. 545
***Escherichi coli* O157:H7 infection of calves: infectious dose and direct contact transmission**
Besser, T. E., Richards, B. L., Rice, D. H., and Hancock, D. D. 555
Detection of *Aeromonas caviae* in the common housefly *Musca domestica* by culture and polymerase chain reaction
Nayduch, D., Honko, A., Noblet, G. P. and Stutzenberger, F. 561
A multispecies model for the transmission and control of mastitis in dairy cows
White L. J., Schukken, Y. H., Lam, T. J. G. M., Medley, G. F. and Chappel, M. J. 567
A field study to control *Echinococcus multilocularis*-infections of the red fox (*Vulpes vulpes*) in an endemic focus
Tackmann, K., Loschner, U., Mix, H., Staubach, C., Thulke, H.-H., Ziller, M. and Conraths, F. J. 577